

SKYLINE SLIDING

| series 92 Modern with Climatech threshold

MINIMALIST TIMBER LIFT AND SLIDE DOOR with triple glazing

Skyline Sliding is Carminati’s minimalist manual lift-and-slide system in timber, designed for those seeking the slimmest profile available on the sliding window market—without compromising performance.

With a **visible profile of just 37 mm** and a fixed frame measuring 45 × 212 mm, it optimizes the ratio between glazed surface and structure, significantly increasing natural light intake. The system configuration enhances seamless visual continuity between interior and exterior, reducing the perception of architectural boundaries and elevating transparency as a primary design element.

The extremely slim timber profiles are manufactured in-house with high-precision processes and artisanal finishing, ensuring structural quality, stability, and long-term durability.

The sash movement is ensured by a system of wheels and rollers integrated into the lower horizontal profile, sliding on the Climatech fiberglass threshold. Designed to guarantee maximum insulation performance and resistance to atmospheric agents, the Skyline Sliding system with wide threshold allows optimal water drainage, making it particularly suitable for exposed settings or demanding climatic conditions.

Technical specifications – Skyline Sliding series 92 Modern

Visible sash thickness	37x92 mm	Ug value	0.6 W/m²K
Fixed frame profile	45x212 mm	Hardware burglar resistance classification	RC2 (RC3 on request)
Minimum standard glazing	33.1/18/4/18/33.1 Argon + Low-E	Maximum sash dimensions and weight	6000x3000 mm manual opening < 400 kg manual opening with steel accessories 400 kg < 700 kg
Water tightness	Class 9A (EN 12208)	Sample size	4000x3000 mm
Air permeability	Class 4 (EN 12207)		
Wind resistance	Class C1 (EN 12210)		
Frame thermal transmittance (Uf)	2,05 W/m²K (fir) 2,40 W/m²K (oak)		
Overall window thermal transmittance (Uw)	0,80 W/m²K (fir) 0,85 W/m²K (oak)		

Finishes and customization

Each sliding system is manufactured in-house with artisanal precision and made to measure. Skyline Sliding is available in laminated timber (spruce, oak, larch, and Sapelli mahogany among the most commonly used species), or in a timber–metal version with external cladding in aluminium, steel, or bronze. The wide range of wood species and finishes allows the system to be adapted to any high-end residential or contract project.


Designed for

Skyline Sliding is the choice of architects, interior designers, and general contractors working on luxury private residences, hotels, and international contract projects, where the lift-and-slide system must integrate into the architectural design as a distinctive element - not as an accessory.

SKYLINE SLIDING | series 92 Modern with Climatech threshold



MINIMALIST TIMBER LIFT AND SLIDE DOOR with triple glazing

Horizontal section



Vertical section


Elevation view




SKYLINE SLIDING | series 92 Modern with Climatech threshold

MINIMALIST TIMBER LIFT AND SLIDE DOOR with triple glazing

Horizontal section



Vertical section



Elevation view

